

2235 Cornell Avenue, Montgomery, IL 60538

Phone: (800) 246-4088

Email: info@biologos.com Website: www.biologos.com

SAFETY DATA SHEET - 29 CFR 1910.1200

Section 1: Company and Product Identification

Product Name: Bio-1620TM

Product Code: T1620

Company: Biologos, LLC

2235 Cornell Ave Montgomery, IL 60538 PH: 800-246-4088

Emergency INFOTRAC **Response:** (800) 535-5053

Section 2: Hazards Identification

GHS05

BLANK

BLANK

BLANE

Hazard Pictograms:

T.

Signal Word: Danger

Hazard Category: Corrosive to metals Cat 1

Skin corrosion/irritation Cat 2

Serious eye damage/eye irritation Cat 2

Hazard Statements: H290: May be corrosive to metals

H315: Causes skin irritation

H319: Causes serious eye irritation

Precautionary P264: Wash thoroughly after handling

Statements: P280: Wear protective gloves/protective clothing/eye protection/face protection

P234: Keep only in original container

P302+350: IF ON SKIN: Gently wash with plenty of soap and water P332+313: If skin irritation occurs: Get medical advice/attention

P306+360: IF ON CLOTHING: Rinse immediately contaminated clothing and skin P305+351+338: IF IN EYES: Rinse cautiously with water for several minutes. Remove

P337+313: If eye irritation persists get medical advice/attention

P406: Store in a corrosive resistant/... container with a resistant inner liner

Hazards not

otherwise classified: Not applicable, none known.

Section 3: Composition / Information on Ingredients

Hazardous substance (name)	Hazard Category	CAS#	Weight %
Water	Not classified	7732-18-5	>96
Hydrochloric Acid	Acute Tox. 4 (Oral), H302 Skin Corr. 1B, H314 Eye Damage 1, H318 STOT SE, H335 Aquatic Acute 3, H402	7647-01-0	<4

Section 4: First Aid Measures

General Info: Never give anything by mouth to an unconcious person. If you feel unwell, seek medical advice.

Notable Exposure Causes skin burns and eye damage.

symptoms:

If ingested: Rinse mouth. Do not induce vomiting. Immediately call Poison Center or seek immediate

medical attention.

If inhaled: Remove to fresh air. Immediately call Poison Center or seek immediate medical attention.

Eye contact: Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses if

present and easy to do. Get medical attention if irritation develops or persists.

Skin contact: Take off immediately all contaminated clothing. Rinse with water thoroughly. Get medical

advice if irritation develops or persists.

Additional Info: Observe for any symptoms for several hours after exposure. Follow up with medical attention if

symptoms develop.

Section 5: Fire Fighting Measures

General Info: Not flammable. Do not breath fumes. Prevent firefighting water from entering environment.

Extinguishing Carbon dioxide (CO2), dry chemical, foam. Water spray. Sand. Firefighters should wear full **Method / Equipment:** protective equipment, including respiratory protection.

Hazardous Thermal decomposition generates corrosive vapors.

Decomposition Info:

Personal precautions, Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear protective equipment appropriate protective equipment and clothing during clean-up. Avoid breathing vapors. Ventilate and procedures: area if easy to do so. Contact local authorities if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Containment Large Spills: Contact trained personel immediately. Contain actively spilling material only if Equipment and trained and safe to do so. Dike the spilled material, where this is possible. Utilize absorbent clay Procedures: or sand to contain and stop spreading material.

Small Spills: If properly trained, utilize absorbent clay or sand and transfer to waste receptacles.

Cleanup Procedures: Collect all contaminated clay, media, or other cleanup materials into a waste receptacle, provided adequate ventilation is available.

Section 7: Handling and Storage

Safe Handling Do not handle until all safety precautions have been read and understood. Ensure adequate Precautions: ventilation. Avoid breathing vapors. Avoid contact with eyes, skin, and clothing. Avoid prolonged exposure. Wear appropriate personal protective equipment.

Recommendations Store in original container in a cool and well ventilated location. Keep away from incompatible **for Storage:** materials. Keep container closed when not in use.

Incompatibilities: Store away from metals, cyanides and srong bases. Refer to Section 10.

Section 8: Exposure Control / Personal Protection

General / Local exhaust ventilation should be utilized to control vapors / substances below exposure limits.

 $\textbf{Engineering} \ \ \text{Eye wash and safety shower facilities must be available when handling this product.}$

Controls:

Work Clothing: Protective work clothing which covers skin and prevents exposures.

Eye/face protection: Wear safety goggles or face shield.

Skin Protection: Wear acid resistant gloves.

Respiratory Utilize appropriate respiratory protection is airborne levels are not maintained below exposure

Protection: limits, or if ventilation is inadequate.

Additional Observe good chemical hygiene practices. Do not smoke or eat while using this product. Wash

Information: hands or exposed skin after using the product.

Substances with Exposure Lim	its	S# ACGIH-	-TLV OSHA-PEL
Hydrochloric	Acid 7647-	01-0 Ceiling 2	ceiling 5 ppm 7 mg/m ³

Section 9: Physical and Chemical Properties

State: Liquid Melting Point: Not avail Freezing Not avail

Point:

Color: Clear Boiling Not avail pH 0.1

Point/Range:

Sp Grav: 1.1 Odor: Acidic Water Soluble

Solubility:

octanol/water

Upper Flam Limits: Not avail Lower Flam Not avail Vapor 2.3 kPa @ 20C

Limits: Pressure:

VOC Content Not avail Viscosity: Not avail Autoignition Not avail

(lbs/gal): Temp:

Section 10: Stability and Reactivity

General: Stable under normal conditions.

Incompatible Metals, Cyanides. Strong Bases.

materials:

Decomposition Generates corrosive vapors. Hydrogen Chloride.

products:

Section 11: Toxicological Information

General Information: Can cause severe eye damage and skin burns.

Toxicological Possible delayed and immediate effects. Possible chronic effects from short and long term

Information exposure.

(product):

Likely Routes of Inhalation of vapors, dermal

Exposure:

Toxicological Information (contained substances)

Hazardous substance (name)	LD50 Oral	LD50 Dermal	LC50 Inh	Irritancy:
Water	-	-	-	
Hydrochloric Acid	238-277 mg/kg (Rat)	>5010 mg/kg (Rabbit)	1.68 mg/L (Rat) 1 h	Irratating to eyes and skin

Carcinogenicity: Not Classified

Mutagenicity: Not Classified

Sensitization: Not Classified

Reproductive or Not Classified

Developmental Effects:

Section 12: Ecological Information

General information: Do not empty into drains.

Freshwater Algae Freshwater Fish Microtox Water Flea

56 mg/L EC50 72h Daphnia

282 mg/L LC50 96 h,

AquaticGambusia affinis mg/LToxicity:LC50 48 h Leucscusidus

Degradation / Mobility info: No information available.

Bioaccumulative potential: No information available.

(add or delete rows as necessary)

Section 13: Disposal Information

Product disposal: Dispose of product in accordance with local, regional, and national regulations. Consult with

waste contractor.

Container disposal: Treat empty containers with extra care, as residual material may be corrosive. Consult waste

contractor.

Other considerations: No further information.

Section 14: Transport Information

DOT: UN 1789, Hydrochloric Acid Solution 8, PG II

IMO/IMDG: UN 1789, Hydrochloric Acid Solution 8, PG II

IATA: UN 1789, Hydrochloric Acid Solution 8, PG II

OTHER: Inquire for further transport information.

Section 15: Regulatory Information

TSCA: All components listed on the TSCA 8(b) inventory.

CERCLA RQ: Hydrochloric Acid - 5000 lb.

SARA 311/312: Product is an acute and chronic hazard.

SARA 313 Hydrochloric Acid CAS No. 7647-01-0, <2.0%. SARA 313 - Threshold Value 1%

California Prop 65 No California Prop. 65 substances.

Substances:

WHMIS: D2B - Toxic Materials. E - Corrosive Material

USDOT RQ - Yes. DOT Marine Pollutant - No.

Clean Water Act Hazardous Substance. RQ - 5000 lb.

Bio-1620[™] SDS Doc: SDS-T1620-971 SDS Author: Biologos, LLC Version Date: 8/3/2016

Information in this SDS is from available published sources and is believed to be accurate. No warranty, express or implied, is made and Biologos, LLC assumes no liability resuting from the use of this SDS. The user must determine suitability of this information for his application.