2235 Cornell Avenue, Montgomery, IL 60538

Phone: (800) 246-4088

Email: info@biologos.com Website: www.biologos.com

SAFETY DATA SHEET - 29 CFR 1910.1200

Section 1: Company and Product Identification

Product Name: Bio-1706TM

Product Code: T1706 (6% Hydrogen Peroxide Solution)

Company: Biologos, LLC

2235 Cornell Ave Montgomery, IL 60538 PH: 800-246-4088

Emergency INFOTRAC Response: (800) 535-5053

Section 2: Hazards Identification

HS07

BLANK

BLANK

RLANK

Hazard Pictograms:



Signal Word: Warning

Hazard Category: Oxidizer Cat 1

Serious eye damage/eye irritation Cat 1

Sensitization, skin Cat 1

Hazard Statements: H271: May cause fire or explosion; strong oxidizer

H318: Causes serious eye damage

H317: May cause an allergic skin reaction

Precautionary Statements: Prev: P280: Wear protective gloves/protective clothing/eye protection/face protection

P305+351+338: IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses if present and easy to do – continue rinsing

P337+313: If eye irritation persists get medical advice/attention

P262: Do not get in eyes, on skin, or on clothing

P270: Do not eat, drink or smoke when using this product

P280: Wear protective gloves/protective clothing/eye protection/face protection

P303+361+353: IF ON SKIN (or hair): Remove/Take off immediately all contaminated

Hazards not

otherwise classified:

Not applicable, none known.

Section 3: Composition / Information on Ingredients

Hazardous substance (name)	Hazard Category	CAS#	Weight %
Water	Not classified	7732-18-5	96-98
Hydrogen Peroxide	Eye Irrit. 2A, H319	7722-84-1	2-4

General Info: Indication of any immediate medical attention and special treatment needed

Treat symptomatically

Notable Exposure Dry skin and irritation of eye tissue.

symptoms:

If ingested: If swallowed do NOT induce vomiting. If vomiting occurs, lean patient forward or place on left

side (head-down position, if possible) to maintain open airway and prevent aspiration. Observe

the patient carefully.

Never give liquid to a person showing signs of being sleepy or with reduced awareness; i.e. becoming unconscious. Give water to rinse out mouth, then provide liquid slowly and as much as

casualty can comfortably drink.

Seek medical advice.

If inhaled: If fumes, aerosols or combustion products are inhaled remove from contaminated area.

Other measures are usually unnecessary.

Eye contact: Immediately hold eyelids apart and flush the eye continuously with running water.

Ensure complete irrigation of the eye by keeping eyelids apart and away from eye and moving the

eyelids by occasionally

lifting the upper and lower lids.

Continue flushing until advised to stop by the Poisons Information Centre or a doctor, or for at

least 15 minutes.

Transport to hospital or doctor without delay.

Removal of contact lenses after an eye injury should only be undertaken by skilled personnel.

Skin contact: Immediately remove all contaminated clothing, including footwear.

Flush skin and hair with running water (and soap if available).

Seek medical attention in event of irritation.

Section 5: Fire Fighting Measures

General Info: Alert Fire Brigade and tell them location and nature of hazard.

Wear breathing apparatus plus protective gloves in the event of a fire.

Prevent, by any means available, spillage from entering drains or water courses.

Use fire fighting procedures suitable for surrounding area.

Extinguishing There is no restriction on the type of extinguisher which may be used.

Method / Equipment: Use extinguishing media suitable for surrounding area.

Hazardous May include carbon dioxides or other toxic vapors.

Decomposition Info:

Section 6: Accidental Release Measures

Personal precautions, Use personal protective equipment. Refer to Section 8. Avoid contact with skin, eyes and

protective equipment clothing. Keep people away from and upwind of spill/leak. Do not touch or

and procedures: walk through spilled material.

Containment Clean up all spills immediately.

Equipment and Avoid breathing vapours and contact with skin and eyes.

Procedures: Control personal contact with the substance, by using protective equipment.

Contain and absorb spill with sand or inert material.

Cleanup Procedures: Dam up. Soak up with inert absorbent material. Pick up and transfer to properly labeled

containers.

Section 7: Handling and Storage

Biologos, LLC September 12, 2016

2 of 5

Safe Handling Limit all unnecessary personal contact.

Precautions: Wear protective clothing when risk of exposure occurs.

Use in a well-ventilated area.

Avoid contact with incompatible materials.

Recommendations Protect from light.

for Storage: Store in original containers.

Keep containers securely sealed. Store in a cool, dry, well-ventilated area.

Store away from incompatible materials and foodstuff containers.

Incompatibilities: Strong oxidizing agents.

Section 8: Exposure Control / Personal Protection

General / Engineering controls are used to remove a hazard or place a barrier between the worker and the **Engineering** hazard. Well-designed engineering controls can be highly effective in protecting workers and will

Controls: typically be independent of worker interactions to provide this high level of protection. The basic

types of engineering controls are: Process controls which involve changing the way a job activity or process is done to reduce the risk. Enclosure and/or isolation of emission source which keeps a selected hazard "physically" away from the worker and ventilation that strategically "adds" and

"removes" air in the work environment.

Work Clothing: Overalls. Eyewash unit.

Eye/face protection: Safety glasses with side shields; or as required, Chemical goggles.

Contact lenses may pose a special hazard; soft contact lenses may absorb and concentrate

Skin Protection: Wear protective gloves/clothing. Long sleeved clothing. Chemical resistant apron. Impervious

gloves. Antistatic boots

Respiratory No protective equipment is needed under normal use conditions. If exposure limits are **Protection:** exceeded or irritation is experienced, ventilation and evacuation may be required.

Additional Handle in accordance with good industrial hygiene and safety practice. Do not eat, drink or

Information: smoke when using this product. Contaminated work clothing should not be allowed out of the workplace. Provide regular cleaning of equipment, work area and clothing. Wash hands before

breaks and immediately after handling the product.

Substances with Exposure Limits	CAS#	ACGIH-TLV	OSHA-PEL	NIOSH
Hydrogen Peroxide	7722-84-1	TWA: 1 ppm	TWA: 1 ppm TWA: 1.4 mg/m3	IDLH: 75 ppm TWA: 1 ppm TWA: 1.4 mg/m3

Section 9: Physical and Chemical Properties

State: Liquid Melting Point: 0°C Freezing Not avail Point:

Color: Clear Boiling 100°C pH Not avail

Temp:

Point/Range:

Sp Grav: 1 Odor: Slight Water Soluble

Solubility:

Upper Flam Limits: N/A Lower Flam N/A Vapor 23 mmHg at Limits: Pressure: 30°C

Limits: Pressure: 30°C

VOC Content N/A Viscosity: Not avail Autoignition Not avail

(lbs/gal):

Section 10: Stability and Reactivity

General: Light sensitive.

Incompatible Powdered metals, Powdered metal salts

materials:

Decomposition Oxygen

products:

Section 11: Toxicological Information

General Information: Indicators are that short term exposure to the material by all routes is not harmful.

Toxicological Not normally a hazard due to non-volatile nature of product Information

(product):

Likely Routes of The material is not thought to produce adverse health effects or irritation of the respiratory tract.

Exposure: Nevertheless, good hygiene practice requires that exposure be kept to a minimum and that suitable control measures be used in an occupational setting. The material may cause skin irritation after prolonged or repeated exposure and may produce on contact skin redness, swelling, the production of vesicles, scaling and thickening of the skin. The material may produce severe irritation to the eye causing pronounced inflammation. Repeated or prolonged exposure to

irritants may produce conjunctivitis.

Toxicological Information (contained substances)

Hazardous substance (name)	LD50 Oral	LD50 Dermal	LC50 Inh	Irritancy:
Water	ı	ı	ı	
Hydrogen Peroxide	Oral (rat) LD50: 75 mg/kg	dermal (rat) LD50: 3000- 5480 mg/kg[1]	Inhalation (rat) LC50: 2 mg/L/4H	Not Available

Carcinogenicity: Not Classified

Mutagenicity: Not Classified

Sensitization: Not Classified

Reproductive or Not Classified

Developmental Effects:

Section 12: Ecological Information

General information: Classification concerning the environment: not applicable.

EC50 3 Hr Algae EC50 48 hr Crustacea LC50 96 Hr Fish EC50 72 Hr Algae

Aquatic 0.27 mg/L 2.32 mg/L 0.020 mg/L 0.71 mg/L

Toxicity:

Degradation / Mobility info: Readily biodegradable in the environment.

Bioaccumulative potential: None.

Section 13: Disposal Information

Product disposal: Dispose of product in accordance with local, regional, and national regulations. Consult with

waste contractor.

Container disposal: Treat empty containers with extra care, as residual material may be an oxidizer. Consult waste

contractor.

Other considerations: None

Section 14: Transport Information

DOT: Not Regulated

IMO/IMDG: Not Regulated

IATA: Not Regulated

OTHER: Inquire for further transport information.

Section 15: Regulatory Information

TSCA: Exempt

CERCLA RQ: Not Regulated by CERCLA

SARA 311/312: Reactive, Acute, Chronic

SARA 313 Not listed.

California Prop 65 No California Prop. 65 substances.

Substances: WHMIS: D2B

USDOT RQ - No. DOT Marine Pollutant - No.

Clean Water Act Not listed.

Section 16: Other Information

SDS Author: Biologos, LLC Version Date: 9/10/2016

Information in this SDS is from available published sources and is believed to be accurate. No warranty, express or implied, is made and Biologos, LLC assumes no liability resuting from the use of this SDS. The user must determine suitability of this information for his application.

Bio-1706[™] Doc: SDS-T1706-977