

2235 Cornell Avenue, Montgomery, IL 60538

Phone: (800) 246-4088

Email: info@biologos.com Website: www.biologos.com

SAFETY DATA SHEET - 29 CFR 1910.1200

Section 1: Company and Product Identification

Product Name: Bio-1901TM (0.1M Acetic Acid Solution)

Product Code: T1901

Biologos, LLC

2235 Cornell Ave Company:

Montgomery, IL 60538

PH: 800-246-4088

Emergency INFOTRAC - (800) 535-5053

Response:

Section 2: Hazards Identification

Hazard Pictograms:



Signal Word: Danger

Skin corrosion/irritation Cat 1A **Hazard Category:**

Serious eye damage/eye irritation Cat 1

Hazard Statements: H314: Causes severe skin burns and eye damage

H401: Harmful to aquatic life

P260: Do not breathe dust/fume/gas/mist/vapours/spray **Precautionary**

Statements: P264: Wash thoroughly after handling

P273: Avoid release to the environment

P280: Wear protective gloves/protective clothing/eye protection/face protection P301+330+331: IF SWALLOWED: Rinse mouth. Do NOT induce vomiting

P305+351+338: IF IN EYES: Rinse cautiously with water for several minutes. Remove

P310: Immediately call a POISON CENTER or doctor/physician

P363: Wash contaminated clothing before reuse

P337+313: If eye irritation persists get medical advice/attention

P501: Dispose of contents/container in accordance with

Hazards not otherwise classified:

Not applicable, none known.

Section 3: Composition / Information on Ingredients

Hazardous substance (name)	Hazard Category	CAS#	Weight %
Water	Not classified	7732-18-5	Balance
Acetic Acid	Flam Liq. 3, H226 Skin Corr. 1B, H314 Eye Damage 1, H318 Aquatic Acute 3, H402	64-19-7	0 - 1

Section 4: First Aid Measures

General Info: Never give anything by mouth to an unconcious person. If you feel unwell, seek medical advice.

Notable Exposure $_{\hbox{\scriptsize Causes skin burns}}$ and eye damage. symptoms:

If ingested: Rinse mouth. Do not induce vomiting. Immediately call Poison Center or seek immediate medical attention.

If inhaled: Remove to fresh air. Immediately call Poison Center or seek immediate medical attention.

Eye contact: Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses if present and easy to do. Get medical attention if irritation develops or persists.

Skin contact: Take off immediately all contaminated clothing. Rinse with water thoroughly. Get medical advice if irritation develops or persists.

Additional Info: Observe for any symptoms for several hours after exposure. Follow up with medical attention if symptoms develop.

Section 5: Fire Fighting Measures

General Info: Do not breath fumes. Prevent firefighting water from entering environment.

Extinguishing Carbon dioxide (CO2), dry chemical, foam. Water spray. Sand. Firefighters should wear full

Method / Equipment: protective equipment, including respiratory protection.

Decomposition Info:

Hazardous Thermal decomposition generates corrosive vapors.

Section 6: Accidental Release Measures

Personal precautions, Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Avoid breathing vapors. Ventilate and procedures: appropriate protective equipment and crowing carring carring the protective equipment area if easy to do so. Contact local authorities if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Procedures:

Large Spills: Contact trained personel immediately. Contain actively spilling material only if Containment trained and safe to do so. Dike the spilled material, where this is possible. Utilize absorbent clay Equipment and or sand to contain and stop spreading material. Prevent entry to sewers and public waters.

Small Spills: If properly trained, utilize absorbent clay or sand and transfer to waste receptacles.

Cleanup Procedures: Collect all contaminated clay, media, or other cleanup materials into a waste receptacle, provided adequate ventilation is available.

Section 7: **Handling and Storage**

Safe Handling
Precentions:

Do not handle until all safety precautions have been read and understood. Ensure adequate ventilation. Avoid breathing vapors. Avoid contact with eyes, skin, and clothing. Avoid Precautions: prolonged exposure. Wear appropriate personal protective equipment.

Recommendations Store in original container in a cool and well ventilated location. Keep away from incompatible for Storage: materials. Keep container closed when not in use.

Incompatibilities: Store away from metals, string oxidizers and strong bases. Refer to Section 10.

Section 8: Exposure Control / Personal Protection

Bio-1901TM SDS Biologos, LLC 2 of 5 July 24, 2020 Doc: SDS.T1901.01 General / Local exhaust ventilation should be utilized to control vapors / substances below exposure limits.

Control of the c

Work Clothing: Protective work clothing which covers skin and prevents exposures.

Eye/face protection: Wear safety goggles or face shield.

Skin Protection: Wear acid resistant gloves.

Respiratory Utilize appropriate respiratory protection is airborne levels are not maintained below exposure

Protection: limits, or if ventilation is inadequate.

Additional Observe good chemical hygiene practices. Do not smoke or eat while using this product. Wash

Information: hands or exposed skin after using the product.

Substances with Exposure Limits	CAS#	ACGIH-TLV	OSHA-PEL
Acetic Acid	64-19-7	10 ppm TLV 15 ppm STEL	10 ppm TWA 50 ppm IDLH

Section 9: Physical and Chemical Properties

State:	Liquid	Melting Point:	Not avail	Freezing Point:	Not avail
Color:	Slight yellow	Boiling Point/Range:	Not avail	pН	Not avail
Sp Grav:	Not avail	Odor:	vinegar	Water Solubility:	Soluble
Evaporation rate:	Not avail	Flash Point:	Not avail	Part. Coeff (noctanol/water	Not avail
Upper Flam Limits:	Not avail	Lower Flam Limits:	Not avail	Vapor Pressure:	Not avail
VOC Content (lbs/gal):	Not avail	Viscosity:	Not avail	Autoignition Temp:	Not avail

Section 10: Stability and Reactivity

General: Stable under normal conditions.

Incompatible Metals, Strong Oxidizers and Strong Bases.

materials:

products:

Section 11: Toxicological Information

General Information: Can cause severe eye damage and skin burns.

Toxicological Possible delayed and immediate effects. Possible chronic effects from short and long term Information (product): Possible dexposure.

Likely Routes of Exposure: Inhalation of vapors, dermal

Bio-1901TM SDS Biologos, LLC July 24, 2020 3 of 5 Doc: SDS.T1901.01

Toxicological Information (contained substances)

Hazardous substance (name)	LD50 Oral	LD50 Dermal	LC50 Inh	Irritancy:
Water	-	-	-	
Acetic Acid	3310 mg/kg (Rat)	>1060 mg/kg (Rabbit)	-	Irratating to eyes and skin

Carcinogenicity: Not Classified

Mutagenicity: Not Classified

Sensitization: Not Classified

Reproductive or

Developmental Not Classified

Effects:

Section 12: Ecological Information

General information: Do not empty into drains.

3.16 (BCF: Pisces) Aquatic Toxicity: Freshwater Fish

Degradation / Mobility info: No information available.

Bioaccumulative potential: Not Established

Section 13: Disposal Information

Product disposal: Dispose of product in accordance with local, regional, and national regulations. Consult with waste contractor.

Container disposal: Treat empty containers with extra care, as residual material may be corrosive. Consult waste contractor.

Other considerations: No further information.

Section 14: Transport Information

DOT: UN 2790, Acetic Acid Solution (with more than 10 percent and less than 50 percent acid, by mass) 8, PG III

IMO/IMDG: $\frac{\text{UN 2790}}{\text{mass}}$, Acetic Acid Solution (with more than 10 percent and less than 50 percent acid, by

IATA: UN 2790, Acetic Acid Solution (with more than 10 percent and less than 50 percent acid, by mass) 8, PG III

OTHER: Inquire for further transport information.

Section 15: Regulatory Information

TSCA: All components listed on the TSCA 8(b) inventory.

CERCLA RQ: Acetic Acid - 5000 lb.

SARA 311/312: Product is an acute hazard.

Bio-1901TM SDS Biologos, LLC July 24, 2020 4 of 5 Doc: SDS.T1901.01

SARA 313 Not applicable

California Prop 65
Substances: No California Prop. 65 substances.

WHMIS: E - Corrosive Material

USDOT RQ - Yes. DOT Marine Pollutant - No.

Clean Water Act Hazardous Substance. RQ - 5000 lb.

Section 16: Other Information

SDS Author: Biologos, LLC **Version Date:** 7/24/2020

Information in this SDS is from available published sources and is believed to be accurate. No warranty, express or implied, is made and Biologos, LLC assumes no liability resuting from the use of this SDS. The user must determine suitability of this information for his application.

Bio-1901TM SDS Biologos, LLC Doc: SDS.T1901.01 July 24, 2020 5 of 5