



2235 Cornell Avenue, Montgomery, IL 60538
Phone: (800) 246-4088

Email: info@biologos.com
Website: www.biologos.com

SAFETY DATA SHEET - 29 CFR 1910.1200

Section 1: Company and Product Identification

Product Name: Bio-19125™ (25% Acetic Acid Solution)

Product Code: T1925

Company: Biologos, LLC
2235 Cornell Ave
Montgomery, IL 60538
PH: 800-246-4088

**Emergency INFOTRAC
Response:** (800) 535-5053

Section 2: Hazards Identification

GHS05

BLANK

BLANK

BLANK

Hazard Pictograms:



Signal Word: Danger

Hazard Category: Skin corrosion/irritation Cat 1
Serious eye damage/eye irritation Cat 1
Hazard to aquatic environment, chronic Cat 3

Hazard Statements: H314: Causes severe skin burns and eye damage
H401: Harmful to aquatic life

Precautionary Statements: P260: Do not breathe dust/fume/gas/mist/vapours/spray
P264: Wash thoroughly after handling
P273: Avoid release to the environment
P280: Wear protective gloves/protective clothing/eye protection/face protection
P301+330+331: IF SWALLOWED: Rinse mouth. Do NOT induce vomiting
P305+351+338: IF IN EYES: Rinse cautiously with water for several minutes. Remove
P310: Immediately call a POISON CENTER or doctor/physician
P363: Wash contaminated clothing before reuse
P337+313: If eye irritation persists get medical advice/attention
P501: Dispose of contents/container in accordance with

Hazards not otherwise classified: Not applicable, none known.

Section 3: Composition / Information on Ingredients

Hazardous substance (name)	Hazard Category	CAS#	Weight %
Water	Not classified	7732-18-5	<75
Acetic Acid	Flam Liq. 3, H226 Skin Corr. 1B, H314 Eye Damage 1, H318 Aquatic Acute 3, H402	64-19-7	<26

Section 4: First Aid Measures

General Info: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice.

Notable Exposure symptoms: Causes skin burns and eye damage.

symptoms:

If ingested: Rinse mouth. Do not induce vomiting. Immediately call Poison Center or seek immediate medical attention.

If inhaled: Remove to fresh air. Immediately call Poison Center or seek immediate medical attention.

Eye contact: Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses if present and easy to do. Get medical attention if irritation develops or persists.

Skin contact: Take off immediately all contaminated clothing. Rinse with water thoroughly. Get medical advice if irritation develops or persists.

Additional Info: Observe for any symptoms for several hours after exposure. Follow up with medical attention if symptoms develop.

Section 5: Fire Fighting Measures

General Info: Do not breath fumes. Prevent firefighting water from entering environment.

Extinguishing Method / Equipment: Carbon dioxide (CO2), dry chemical, foam. Water spray. Sand. Firefighters should wear full protective equipment, including respiratory protection.

Hazardous Decomposition Info: Thermal decomposition generates corrosive vapors.

Section 6: Accidental Release Measures

Personal precautions, Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear **protective equipment** appropriate protective equipment and clothing during clean-up. Avoid breathing vapors. Ventilate **and procedures:** area if easy to do so. Contact local authorities if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Containment Large Spills: Contact trained personnel immediately. Contain actively spilling material only if **Equipment and** trained and safe to do so. Dike the spilled material, where this is possible. Utilize absorbent clay **Procedures:** or sand to contain and stop spreading material. Prevent entry to sewers and public waters.

Small Spills: If properly trained, utilize absorbent clay or sand and transfer to waste receptacles.

Cleanup Procedures: Collect all contaminated clay, media, or other cleanup materials into a waste receptacle, provided adequate ventilation is available.

Section 7: Handling and Storage

Safe Handling Do not handle until all safety precautions have been read and understood. Ensure adequate **Precautions:** ventilation. Avoid breathing vapors. Avoid contact with eyes, skin, and clothing. Avoid prolonged exposure. Wear appropriate personal protective equipment.

Recommendations for Store in original container in a cool and well ventilated location. Keep away from incompatible **Storage:** materials. Keep container closed when not in use.

Incompatibilities: Store away from metals, strong oxidizers and strong bases. Refer to Section 10.

Section 8: Exposure Control / Personal Protection

General / Local exhaust ventilation should be utilized to control vapors / substances below exposure limits. **Engineering** Eye wash and safety shower facilities must be available when handling this product. **Controls:**

Work Clothing: Protective work clothing which covers skin and prevents exposures.

Eye/face protection: Wear safety goggles or face shield.

Skin Protection: Wear acid resistant gloves.

Respiratory Utilize appropriate respiratory protection if airborne levels are not maintained below exposure **Protection:** limits, or if ventilation is inadequate.

Additional Observe good chemical hygiene practices. Do not smoke or eat while using this product. Wash **Information:** hands or exposed skin after using the product.

Substances with Exposure Limits	CAS#	ACGIH-TLV	OSHA-PEL
Acetic Acid	64-19-7	10 ppm TLV 15 ppm STEL	10 ppm TWA 50 ppm IDLH

Section 9: Physical and Chemical Properties

State: Liquid	Melting Point: Not avail	Freezing Point: Not avail
Color: Clear	Boiling Point/Range: Not avail	pH: Not avail
Sp Grav: 1.03	Odor: vinegar	Water Solubility: Soluble
Evaporation rate: Not avail	Flash Point: Not avail	Part. Coeff (n-octanol/water): Not avail
Upper Flam Limits: Not avail	Lower Flam Limits: Not avail	Vapor Pressure: Not avail
VOC Content (lbs/gal): Not avail	Viscosity: 1.5 cSt	Autoignition Temp: Not avail

Section 10: Stability and Reactivity

General: Stable under normal conditions.

Incompatible materials: Metals, Strong Oxidizers and Strong Bases.

Decomposition products: Generates corrosive vapors. Carbon Monoxide. Carbon Dioxide.

Section 11: Toxicological Information

General Information: Can cause severe eye damage and skin burns.

Toxicological Information (product): Possible delayed and immediate effects. Possible chronic effects from short and long term exposure.

Likely Routes of Exposure: Inhalation of vapors, dermal

Toxicological Information (contained substances)

Hazardous substance (name)	LD50 Oral	LD50 Dermal	LC50 Inh	Irritancy:
Water	-	-	-	
Acetic Acid	3310 mg/kg (Rat)	>1060 mg/kg (Rabbit)		Irritating to eyes and skin

Carcinogenicity: Not Classified

Mutagenicity: Not Classified

Sensitization: Not Classified

Reproductive or Developmental Effects: Not Classified

Section 12: Ecological Information

General information: Do not empty into drains.

Freshwater Fish

3.16 (BCF: Pisces)

Aquatic Toxicity:

Degradation / Mobility info: No information available.

Bioaccumulative potential: Not Established

Section 13: Disposal Information

Product disposal: Dispose of product in accordance with local, regional, and national regulations. Consult with waste contractor.

Container disposal: Treat empty containers with extra care, as residual material may be corrosive. Consult waste contractor.

Other considerations: No further information.

Section 14: Transport Information

DOT: UN 12790, Acetic Acid Solution (with more than 10 percent and less than 50 percent acid, by mass) 8, PG III

IMO/IMDG: UN 12790, Acetic Acid Solution (with more than 10 percent and less than 50 percent acid, by mass) 8, PG III

IATA: UN 12790, Acetic Acid Solution (with more than 10 percent and less than 50 percent acid, by mass) 8, PG III

OTHER: Inquire for further transport information.

Section 15: Regulatory Information

TSCA: All components listed on the TSCA 8(b) inventory.

CERCLA RQ: Acetic Acid - 5000 lb.

SARA 311/312: Product is an acute hazard.

SARA 313 Not applicable

California Prop 65 No California Prop. 65 substances.

Substances:

WHMIS: E - Corrosive Material

USDOT RQ - Yes. DOT Marine Pollutant - No.

Clean Water Act Hazardous Substance. RQ - 5000 lb.

Section 16: Other Information

SDS Author: Biologos, LLC

Version Date: 12/19/2016

Information in this SDS is from available published sources and is believed to be accurate. No warranty, express or implied, is made and Biologos, LLC assumes no liability resulting from the use of this SDS. The user must determine suitability of this information for his application.