



ISO 13485:2016 Certified | GMP Certified

2235 Cornell Ave. Montgomery, IL 60538 | (800) 246 - 4088 | CustomerService@Biologos.com | Biologos.com

SPECIFICATION SHEET

PRODUCT: FETAL BOVINE SERUM (U.S. ORIGIN)

GAMMA IRRADIATED (30-45 kGy) - NON-HEAT INACTIVATED

Mycoplasma Tested - Virus Screened

Sterile Filtered 0.1µ

Catalog Number: FBS0100

ASSAY:

Appearance

pH

Total Protein

Hemoglobin

Osmolality

Endotoxin

Country of Origin

Sterility per 9 CFR 113.26

Bacterial

Fungal

Mycoplasma per 9 CFR 113.28

Hemadsorbing Agents per 9 CFR 113.53c (113.46)

Adventitious Virus per 9 CFR 113.53c (113.47)

Irradiation Range

SPECIFICATION:

Clear, light straw to amber colored liquid

6.5-8.5

Report Results

≤ 20 mg/dL

260-340 mOsm/Kg H

≤ 10 EU/mL

U.S.A

NEGATIVE

NEGATIVE

NEGATIVE

NEGATIVE

NEGATIVE

30 - 45 kGy

Storage Conditions: -10°C or below

Date of Manufacturing:

Minimum Recommended Expiration Date: [5 Years from Date of Manufacturing]

Approved by:

6/19/2019

Quality and Compliance Manager

Date

Customer Representative

Date

Not for Human or Animal Consumption.

For Further Manufacturing Use Only.